



## PeopleLink Multichannel All in one DSP





PeopleLink DSP is the ultimate choice for a high-definition audio signal processor. The most powerful HD audio available, it delivers full, continuous presence meetings with multi-location voice conferencing over its four inputs and two-output DSP, ideal for local sound reinforcement. Highly scalable and flexible, PeopleLink's multichannel console DSP provides an HD voice communications platform. This powerful, fault-tolerant solution is ideal for the communications needs of large enterprises as well as service providers looking to offer video conferencing services. Advanced design - This is the most powerful and up-to-date microphone mixer, DSP, and amplifier available in the industry today. It is compact, simple, and extremely user-friendly, allowing you to do large-scale video conferencing from a compact audio system.

## **Product Features**

- Range: Wide operating range of 100 feet
- Power Supply Safety: Power Supply Unit with Short Circuit, Overload and Over Voltage Protection
- SMT Circuit : Surface Mount Technology (SMT ) Circuit
- **Efficiency**: High efficiency of ~90%
- Current: Very low quiescent current. It Can run on an inverter.
- **Circuit**: Technology (SMT) Circuit Integrated Self-Protection
- Frequency lock: Quartz-locked frequency
- Area of application : Classrooms,
   Training Rooms
- Capacity: 40 to 60 seater
- Chassis: 19-Inch chassis 1.5U (Rack Mountable) DSP with Inbuilt amplifier with wireless microphone System



# **General Specifications**

## **Wireless Microphone System**

Frequency Type: Quartz locked frequency

Operating Range: 100 Feet

Microphone Options: 2 x Handheld / 1 Handheld +1

headband / 2 x headband Microphones

**Frequencies :** 5 non interfering frequencies available

**Antennas:** Soft, Flexible rubberized antennas

Output: Balanced Phoenix and Mixed Unbalanced 1/4"

Outputs

**LCD Display**: Frequency, Group, Antenna & Channel is

displayed on the LCD in the receiver

**Gain Control**: Separate gain controls for both the

channels

Microphone Frequency Response: 40 Hz-16KHz

Microphone Type: UHF

## **Amplifier**

Power Output @ 8 ohms: 2 X 50W, Vcc= 24V DC

Minimum Impedance: 8 ohms @50W

Frequency Response: 20 Hz-20,000Hz

Operating Supply Voltage: 8 V to 24 V

Type: Class D (Digital)

### **Digital Signal Processor**

**Frequency Range :** 30 Hz. to 16KHz.

**Automatic Echo Cancellation :** Yes

**Automatic Gain Control :** Yes

**Dynamic Noise Reduction :** Yes

**Noise Supression:** Yes

Full Duplex: Yes

#### **Interface**

**Input:** Built-In 1 x Handheld, 1 x headband

Microphone

**Unbalanced MIC Input:** 1x 6.5mm phono jack with

gain controller

Balanced 48v/12v Phantom MIC Inputs: 1 x Phoenix

ports with separate gain controller

**Line Input:** 1 x 2RCA

**Line Output:** 1 x 2RCA

**USB Interface for PC Connectivity :** 1 x USB 2.0

RS-232 for Controlling: 1 x RS-232 audio controlling

### **Miscellaneous**

**Power Supply Unit (PSU):** Power Supply Unit with Short Circuit, Overload, and Voltage Protection

**Application :** Classrooms, Training Rooms

Capacity: 40 to 60 Seater

**Shape of the room :** Any

### **Packaging Information**

**Components:** 19 inch chassis 1.5U (Rack Mountable)

with Inbuilt DSP

Package Includes: Inbuilt Package Includes People
Link Multi-Channel Console DSP with built-in Amplifier,
Wireless Handheld Microphone, Wireless Headband
Microphone, USB2.0 x 1, Cable, Stereo to Microphone,


2 RCA Cable x 2, 50W Speakers x 2







## **Device Set-up**







Disclaimer:- Room setup diagrams provided for reference only. Actual room setup and size may vary as per requirements.



## **Ordering Information**

PeopleLink Multichannel All in one DSP

#### : PPU-MCC-DSP-AIO

### LEARN MORE

For more information on AIO DSP 100W Click Here

#### SALES AND INQUIRIES -

### **Global Headquarters**

Q3-A3, 10th Floor Cyber Towers, HITEC City, Hyderabad, Telangana 500081, **India Phone:** +91 9100123013 **Email:** vc@peoplelinkvc.com

### **International Contact Numbers**

USA: +1 669-696-8383 Australia: +61 370 037070 France: +33 6 80 75 26 42 Middle East: +966 5300 19292 UK: +44 20 4571 5454 UAE: +971 4 3339082 Canada: +1 647-945-7373 Malaysia: +(6)018-2872188 New Zealand: +64-9-802-4666 Africa: +254 107 529 656

### **Tech Support**

**Toll Free:** 1800 208 3399 customersupport@peoplelinkvc.com